



AQAR Report

2022-23

Criterion VII

Institutional Values and Best Practices



1. Solid waste management

2. E Waste management

AGC facilitates several techniques for the management of degradable and non-degradable waste. The primary focus is to reduce, reuse and recycle the waste. The management has also advised to refuse anything which is not needed. The Institute has different dustbins to segregate the different waste like solid and liquid etc. Every day the waste is collected in bins and disposed to a place where it can be converted into manure.

In addition to this the Institute has organized many workshops on the implementation of these techniques effectively. Training programmes are conducted from time to time about the methodology of disposing the waste. It was stressed that we should avoid plastic items to the best possible capacity. Moreover, there is the connection with the manufacturers of plastic recycling to ensure the wastage is recycled.

For solid waste management different bins have been placed at different departments. This ensures that solid waste segregated at the source. It is also ensured that the recycling of all these components is done in minimum cost and labor. Suitable techniques are applied for disposing of solid waste. The garbage generated is preferably treated at the site of generation.

For biomedical waste there is a classification of the waste in hazardous and non-hazardous or infectious and other hazardous. The waste like plastic disposables, liquid waste and other things are again segregated then collected and kept in storage then transported and finally sent for the treatment of the disposal.

For the personal protection it has been advised to use masks while handling the waste. Moreover, wearing head gears, eye covers, apron, gloves and boots as they help in fighting the transmission of infection.

Waste recycling involves the collection of waste materials and segregation of the waste material. The Institute has set up a recycling programme to meet the need of recycling the waste.

The Institute is trying to get in touch with the top level administration and their support to ensure that the waste is properly recycled. Moreover, the Institute is also looking for the possible substitutes to deduce the waste to the best possible extent.

Neeraj
IQAC Coordinator

B. K. R.
Head, Applied Sciences
Dept. of Applied Sciences,
Amritsar Group of Colleges,
Amritsar.



PUNJAB POLLUTION CONTROL BOARD
ZONAL OFFICE, 164, FOCAL POINT, MEHTA ROAD, AMRITSAR.

Website:- www.ppcb.gov.in

Office Dispatch No : _____ Registered/Speed Post _____ Date: _____
Industry Registration ID: 013ASR208439 Application No : 12752591

To,

Amit Sharma
194, Basant Avenue,
Amritsar, Punjab-143001

Subject: Renewal of 'Consent to Operate' an outlet u/s 25/26 of Water (Prevention & Control of Pollution) Act, 1974 for discharge of effluent.

With reference to your application for obtaining Renewal of Consent to Operate an outlet for discharge of the effluent u/s 25/26 of Water (Prevention & Control of Pollution) Act, 1974, you are, hereby, authorized to operate an industrial unit for discharge of the effluent(s) arising out of your premises subject to the Terms and Conditions as mentioned in this Certificate.

1. Particulars of Consent to Operate under Water Act, 1974 granted to the industry

Consent to Operate Certificate No.	CTOW/Renewal/ASR/2020/12752591
Date of issue :	08/09/2020
Date of expiry :	30/09/2024
Certificate Type :	Renewal
Previous CTO No. & Validity :	R16ASRCTOW3439185 From: 11/01/2016 To: 31/03/2020

2. Particulars of the Industry

Name & Designation of the Applicant	Amit Sharma, (Chairman)
Address of Industrial premises	Amritsar College Of Engineering & Technology, 12km Stone, Amritsar-jalandhar G.t. Road, Near Manawala,, Amritsar Ii, Amritsar-143001
Capital Investment of the Industry	4011.351 lakhs
Category of Industry	Orange
Type of Industry	2091-Area/Infrastructure Development Project including educational institutions, community hall, IT Park, Theme park (Not covered under EIA notification 2006)
Scale of the Industry	Small
Office District	Amritsar
Consent Fee Details	
Raw Materials (Name with quantity per day)	It's an Engineering College having built-up area 30598 Sq. mts @30598.00 Sq.m/day @0Metric Tonnes/Day
Products (Name with quantity per day)	It's an Engineering College having built-up area 30598 Sq. mts @30598.00 Sq.m/day @0Metric Tonnes/Day
By-Products, if any, (Name with quantity per day)	AS PER DETAIL SUBMITTED

"This is computer generated document from OCMMS by PPCB"

Amritsar College Of Engineering & Technology, 12km Stone, Amritsar-jalandhar G.t. Road, Near Manawala,, Amritsar Ii, Amritsar, 143001

Page 1

Details of the machinery and processes	<i>AS PER DETAIL SUBMITTED</i>
Details of the Effluent Treatment Plant	<i>Domestic Effluent @150.0 KLD</i>
Mode of Disposal	<i>ON TO LAND FOR PLANTATION</i>
Standards to be achieved under Water(Prevention & Control of Pollution) Act, 1974	<i>AS PRESCRIBED BY THE BOARD</i>




08/09/2020

(Shiv Kumar)
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)



Endst. No.: [] [] [] [] [] []

Dated:

A copy of the above is forwarded to the following for information and necessary action please:
THE EE, RO, ASR.



08/09/2020

(Shiv Kumar)
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

"This is computer generated document from OCMMS by PPCB"

Amritsar College Of Engineering & Technology, 12km Stone, Amritsar-jalandhar G.I. Road, Near Manawala,,Amritsar li,Amritsar,143001

Page2

TERMS AND CONDITIONS

A. GENERAL CONDITIONS

1. This consent is not valid for getting power load from the Punjab State Power Corporation Limited or for getting loan from the financial institutions.
2. The industry shall apply for renewal/further extension in validity of consent atleast two months before expiry of the consent.
3. The industry shall ensure that the effluent discharging through the authorized outlet shall confirm to the prescribed standards as applicable from time to time.
4. The industry shall plant minimum of three suitable varieties of trees at the density of not less than 1000 trees per hectare all along the boundary of the industrial premises.
5. The achievement of the adequacy and efficiency of the effluent treatment plant/pollution control devices/recirculation system installed shall be the entire responsibility of the industry.
6. The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of the Hazardous Wastes(Management, Handling and Trans boundary Movement) Rules, 2008 as amended time to time , without any adverse effect on the environment, in any manner
7. The responsibility to monitor the effluent discharged from the authorized outlet and to maintain a record of the same rests with the industry. The Board shall only test check the accuracy of these reports for which the industry shall deposit the samples collection and testing fee with the Board as and when required.
8. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30th June of every year.
9. The industry shall submit a yearly certificate to the effect that no addition/up-gradation/ modification/modernization has been carried out during the previous year otherwise the industry shall apply for the varied consent.
10. During the period beginning from the date of issuance and the date of expiration of this consent, the applicant shall not discharge floating solids or visible foam.
11. Any amendments/revisions made by the Board in the tolerance limits for discharges shall be applicable to the industry from the date of such amendments/revisions.
12. The industry shall not change or alter the manufacturing process(es) so as to change the quality and/or quantity of the effluents generated without the written permission of the Board.
13. Any upset conditions in the plant/plants of the factory, which is likely to result in increased effluent and/or result in violation of the standards lay down by the Board shall be reported to the Environmental Engineer, Punjab Pollution Control Board of concerned Regional Office immediately failing which any stoppage and upset conditions that come to the notice of the Board/its officers, will be deemed to be intentional violation of the conditions of consent.
14. The industry shall provide terminal manhole(s) at the end of each collection system and a manhole upstream of final outlet (s) out of the premises of the industry for measurement of flow and for taking samples.
15. The industry shall for the purpose of measuring and recording the quantity of water consumed and effluent discharged, affix meters of such standards and at such places as approved by the Environmental Engineer, Punjab Pollution Control Board of the concerned Regional Office.
16. The industry shall maintain record regarding the operation of effluent treatment plant i.e. record of quantity of chemicals and energy utilized for treatment and sludge generated from treatment so as to satisfy the Board regarding regular and proper operation of pollution control equipment.
17. The industry shall provide online monitoring equipment¹/₂s for the parameters as decided by concerned Regional Office with the effluent treatment plant/air pollution control devices installed, if applicable.
18. The pollution control devices shall be interlocked with the manufacturing process of the industry.
19. The authorized outlet and mode of disposal shall not be changed without the prior written permission of the Board.
20. The industry shall comply with the conditions imposed by the SEIAA / MOEF in the environmental clearance granted to it as required under EIA notification dated 14/9/06, if applicable.
21. The industry shall obtain and submit Insurance cover as required under the Public Liability Insurance Act, 1991.
22. The industry shall not use any unauthorized out-let(s) for discharging effluents from its premises. All unauthorized outlets, if any, shall be connected to the authorized outlet within one month from the date of issue of this consent.

"This is computer generated document from OCMMS by PPCB"

Amritsar College Of Engineering & Technology, 12km Stone, Amritsar-jalandhar G.t. Road, Near Manawala,,Amritsar li,Amritsar,143001

Page 3

23. The industry shall make necessary arrangements for the monitoring of effluent being discharged by the industry and shall monitor its effluents:-
 - (i) Once in Year for Small Scale Industries.
 - (ii) Four in a Year for Large/Medium Scale Industries.
 - (iii) The industry will submit monthly reading/ data of the separate energy meter installed for running of effluent treatment plant/re-circulation system to the concerned Regional Office of the Board by the 5th of the following month.
24. The industry shall provide electromagnetic flow meters at the source of water supply, at inlet/outlet of effluent treatment plant within one month and shall maintain the record of the daily reading and submit the same to the concerned Regional Office by the 5th of the following month.
25. The Board reserves the right to revoke this consent at any time in case the industry is found violating any of the conditions of this consent and/or the provisions of Water (Prevention & Control of Pollution) Act, 1974 as amended from time to time.
26. The issuance of this consent does not convey any property right in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of Central, State or Local Laws or Regulations.
27. The consent does not authorize or approve the construction of any physical structures or facilities for undertaking of any work in any natural watercourse.
28. Nothing in this consent shall be deemed to neither preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected under this or any other Act.
29. The industry shall make necessary and adequate arrangements to hold back the effluent in case of failure of septic tank.
30. The diversion or bye pass of any discharge from facilities utilized by the applicant to maintain compliance with the terms and conditions of this consent is prohibited except.
 - (i) Where unavoidable to prevent loss of life or some property damage or
 - (ii) Where excessive storm drainage or run off would damage facilities necessary for compliance with terms and conditions of this consent. The applicant shall immediately notify the consent issuing authority in writing of each such diversion or bye-pass.
31. The industry shall ensure that no water pollution problem is created in the area due to discharge of effluents from its industrial premises.
32. The industry shall comply with the code of practice as notified by the Government/ Board for the type of industries where the siting guidelines/ code of practice have been notified.
33. Solids, sludge, filter backwash or other pollutant removed from or resulting from treatment or control of waste waters shall be disposed off in such a manner to prevent any pollutants from such materials from entering into natural water.
34. The industry shall re-circulate the entire cooling water and shall also re-circulate/reuse to the maximum extent the treated effluent in processes
35. The industry shall make necessary and adequate arrangements to hold back the effluent in case of failure of re-circulation system/ effluent treatment plant.
36. The industry shall make proper disposal of the effluent so as to ensure that no stagnation occurs inside and outside the industrial premises during rainy season and no demand period.
37. Where excessive storm water drainage or run off, would damage facilities necessary for compliance with terms and conditions of this consent, the applicant shall immediately notify the consent issuing authority in writing of each such diversion or bye-pass.
38. The industry shall submit a detailed plan showing therein the distribution system for conveying waste-water for application on land for irrigation along with the crop pattern for the year.
39. The industry shall ensure that the effluent discharged by it is toxicity free.
40. The industry shall not irrigate the vegetable crops with the treated effluents which are used/ consumed as raw.
41. Drains causing oil & grease contamination shall will be segregated. Oil & grease trap shall be provided to recover oil & grease from the effluent.

"This is computer generated document from OCMMS by PPCB"

Amritsar College Of Engineering & Technology, 12km Stone, Amritsar-jalandhar G.t. Road, Near Manawala,, Amritsar li, Amritsar, 143001

Page 4

42. The industry shall establish sufficient number of piezometer wells in consultation with the concerned Regional Office, of the Board to monitor the impact on the Ground Water Quantity due to the industrial operations, and the monitoring shall be submitted to the Environmental Engineer of the concerned Regional Office by the 5th of every month.
43. The industry shall ensure that its production capacity & quantity of trade effluent do not exceed the quantity mentioned in the consent and shall not carry out any expansion without the prior permission/NOC of the Board.




08/09/2020

(Shiv Kumar)
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)



"This is computer generated document from OCMMMS by PPCB"

Amritsar College Of Engineering & Technology, 12km Stone, Amritsar-jalandhar G.I. Road, Near Manawala,, Amritsar li, Amritsar, 143001

Page5



PUNJAB POLLUTION CONTROL BOARD
ZONAL OFFICE, 164, FOCAL POINT, MEHTA ROAD, AMRITSAR.

Website:- www.ppcb.gov.in

Office Dispatch No : _____ Registered/Speed Post _____ Date: _____
Industry Registration ID: *O13ASR208439* Application No : *12752483*

To,

Amit Sharma
194, Basant Avenue,
Amritsar, Punjab-143001

Subject: Renewal of 'Consent to Operate' u/s 21 of Air (Prevention & Control of Pollution) Act, 1981 for discharge of emissions arising out of premises.

With reference to your application for obtaining Renewal of 'Consent to Operate' u/s 21 of Air (Prevention & Control of Pollution) Act, 1981, you are hereby, authorized to operate an industrial unit for discharge of the emission(s) arising out of your premises subject to the Terms and Conditions as mentioned in this Certificate.

1. Particulars of Consent to Operate under Air Act, 1981 granted to the industry

Consent to Operate Certificate No.	<i>CTOA/Renewal/ASR/2020/12752483</i>
Date of issue :	<i>08/09/2020</i>
Date of expiry :	<i>30/09/2024</i>
Certificate Type :	<i>Renewal</i>
Previous CTO No. & Validity :	<i>R16ASRCTOA3417660</i> <i>From: 11/01/2016 To: 31/03/2020</i>

2. Particulars of the Industry

Name & Designation of the Applicant	<i>Amit Sharma, (Chairman)</i>
Address of Industrial premises	<i>Amritsar College Of Engineering & Technology, 12km Stone, Amritsar-jalandhar G.t. Road, Near Manawala,, Amritsar Ii, Amritsar-143001</i>
Capital Investment of the Industry	<i>4011.351 lakhs</i>
Category of Industry	<i>Orange</i>
Type of Industry	<i>2091-Area/Infrastructure Development Project including educational institutions, community hall, IT Park, Theme park (Not covered under EIA notification 2006)</i>
Scale of the Industry	<i>Small</i>
Office District	<i>Amritsar</i>
Consent Fee Details	
Raw Materials (Name with Quantity per day)	<i>It's an Engineering College having built-up area 30598 Sq. mts @30598Sq.m/day</i>

"This is computer generated document from OCMMS by PPCB"

Amritsar College Of Engineering & Technology, 12km Stone, Amritsar-jalandhar G.t. Road, Near Manawala,, Amritsar Ii, Amritsar, 143001

Page1

TERMS AND CONDITIONS

A. GENERAL CONDITIONS

1. This consent is not valid for getting power load from the Punjab State Power Corporation Ltd. or for getting loan from the financial institutions.
2. The industry shall apply for renewal /extension of consent at least two months before expiry of the consent.
3. The industry shall not violate any of the norms prescribed under the Air (Prevention & Control of Pollution) Act, 1981, failing which, the consent shall be cancelled / revoked.
4. The achievement of adequacy and efficiency of the air pollution control devices installed shall be the entire responsibility of the industry
5. The authorized fuel being used shall not be changed without the prior written permission of the Board.
6. The industry shall not discharge any fugitive emissions. All gases shall be emitted through a stack of suitable height, as per the norms fixed by the Board from time to time.
7. The industry shall provide port-holes, platforms and/or other necessary facilities as may be required for collecting samples of emissions from any chimney, flue or duct or any other outlets.

Specifications of the port-holes shall be as under:-

- i) The sampling ports shall be provided atleast 8 times chimney diameter downstream and 2 times upstream from the flow disturbance. For a rectangular cross section the equivalent diameter (De) shall be calculated from the following equation to determine upstream, downstream distance:-
$$De = 2 LW / (L+W)$$

Where L= length in mts. W= Width in mts.
 - ii) The sampling port shall be 7 to 10 cm in diameter
8. The industry shall put display Board indicating environmental data in the prescribed format at the main entrance gate.
 9. The industry shall discharge all gases through a stack of minimum height as specified in the following standards laid down by the Board.

(i) Stack height for boiler plants

S.NO.	Boiler with Steam Generating Capacity	Stack heights
1.	Less than 2 ton/hr.	9 meters or 2.5 times the height of neighboring building which ever is more
2.	More than 2 ton/hr. to 5 ton/hr.	12 meters
3.	More than 5 ton/hr. to 10 ton/hr	15 meters
4.	More than 10 ton/hr. to 15 ton/hr	18 meters
5.	More than 15 ton/hr. to 20 ton/hr	21 meters
6.	More than 20 ton/hr. to 25 ton/hr.	24 meters
7.	More than 25 ton/hr. to 30 ton/hr.	27 meters
8.	More than 30 ton/hr.	30 meters or using the formula $H = 14 Qg^{0.3}$ or $H = 74 (Qp)^{0.24}$ Where Qg = Quantity of SO2 in Kg/hr. Qp = Quantity of particulate matter in Ton/day.

Note : Minimum Stack height in all cases shall be 9.0 mtr. or as calculated from relevant formula whichever is more.

(ii) For industrial furnaces and kilns, the criteria for selection of stack height would be based on fuel used for the corresponding steam generation.

(iii) Stack height for diesel generating sets:

"This is computer generated document from OCMMS by PPCB"

Amritsar College Of Engineering & Technology, 12km Stone, Amritsar-jalandhar G.I. Road, Near Manawala,, Amritsar Ii, Amritsar, 143001

Page 3

Capacity of diesel generating set	Height of the building	Height of the Stack
0-50 KVA		+ 1.5 mt
50-100 KVA	□□-do-	+ 2.0 mt.
100-150 KVA	□□-do-	+ 2.5 mt.
150-200 KVA	□□-do-	+ 3.0 mt.
200-250 KVA	□□-do-	+ 3.5 mt.
250-300 KVA	□□ -do-	+ 3.5 mt.

For higher KVA rating stack height H (in meter) shall be worked out according to the formula:

$$H = h + 0.2 (KVA)^{0.5}$$

where h = height of the building in meters where the generator set is installed.

10. The pollution control devices shall be interlocked with the manufacturing process of the industry to ensure its regular operation.
11. The existing pollution control equipment shall be altered or replaced in accordance with the directions of the Board, and no pollution control equipment or chimney shall be altered or as the case may be erected or re-erected except with the prior approval of the Board.
12. The industry will provide canopy and adequate stack with the D.G sets so as to comply with the provision of notification No GSR-371 E dated 17-5-2002(amended from time to time) issued by MOEF under Environment (Protection) Act, 1986.
13. The Govt. of Punjab, Department of Science, Technology & Environment vide its notification no.4/46/92-3ST/2839 dt. 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except the following:-
¼In the form of briquettes and use of rice husk in fluidized bed combustion. So the industry shall make the necessary arrangement to comply with the above notification.¼
14. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30th June of every year
15. That the industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modification/modernization has been carried out during the previous year otherwise the industry shall apply for the varied consent.
16.
 - a) The industry shall ensure that at any time the emission do not exceed the prescribed emissions standards laid down by the Board from time to time for such type of industry /emissions.
 - b) The industry shall ensure that the emissions from each stack shall conform to the following emission standards laid down by the Board in respect of the Industrial Boilers.

Steam Generating capacity A.	Required particulate matter B.	
<i>Area upto 5 Km from Other than 'A' class Other than the periphery of I and Class-II town</i>		
Less than 2 ton/hr.	800 mg/NM3	1200 mg/NM3
2 ton to 10 ton/hr.	500 mg/NM3	1000 mg/NM3
Above 10 ton to 15 ton/hr	350 mg/NM3	500 mg/NM3
Above 15 ton/hr	150 mg/NM3	150 mg/NM3

All emissions normalized to 12% carbon dioxide.

17. The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008, without any adverse effect on the environment, in any manner.
18. The air pollution control equipments shall be kept at all time in good running condition and;

"This is computer generated document from OCMMS by PPCB"

Amritsar College Of Engineering & Technology, 12km Stone, Amritsar-jalandhar G.t. Road, Near Manawala,, Amritsar li, Amritsar, 143001

Page4

- (i) All failures of control equipments.
 - (ii) The emissions of any air pollutant into the atmosphere in excess of the standards lay down by the Board occurring or being apprehended to occur due to accident or other unforeseen act or event. 'Shall be intimated through fax to the concerned Regional Office as well as to the Director of Factories, Punjab, Chandigarh as required under rule 10 of the Punjab State Board for the Prevention and Control of Air Pollution Rules, 1983'.
19. The industry shall plant minimum of three suitable varieties of trees at the density of not less than 1000 trees per hectare all along the boundary of the industrial premises.
20. The industry shall submit a site emergency plan approved by the Chief Inspector of Factories, Punjab as applicable.
21. The industry shall comply with the conditions imposed by the SEIAA/MOEF in the Environmental Clearance granted to it as required under EIA notification dated 14/9/06, if applicable.
22. The industry shall make necessary arrangements for the monitoring of stack emissions and shall get its emissions analyzed from lab approved / authorized by the Board:-
 - (i) Once in Year for Small Scale Industries.
 - (ii) Twice/thrice/four time in a Year for Large/Medium Scale Industries.
23. The industry shall maintain the following record to the satisfaction of the Board :-
 - (i) Log books for running of air pollution control devices or pumps/motors used for it.
 - (ii) Register showing the result of various tests conducted by the industry for monitoring of stack emissions and ambient air.
 - (iii) Register showing the stock of absorbents and other chemicals to be used for scrubbers.
24. The industry will install the separate energy meter for running pollution control devices and shall maintain record with respect to operation of air pollution control device so as to satisfy the Board regarding the regular operation of air pollution control device and monthly reading / record may be sent to the Board by the fifth of the following month.
25. The industry shall provide online monitoring system as applicable, for in stack emission and shall maintain the record of the same for inspection of the Board Officers.
26. The Board reserves the right to revoke the consent granted to the industry at any time, in case the industry is found violating the provisions of Air (Prevention & Control of Pollution) Act, 1981 as amended from time to time.
27. The industry shall comply with any other conditions laid down or directions issued in due course by the Board under the provisions of the Air (Prevention & Control of Pollution) Act, 1981.
28. Nothing in this consent shall be deemed to neither preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected to under this or any other Act.
29. Any amendments/revisions made by the Board/CPCB/MOEF in the emission/stack height standards shall be applicable to the industry from the date of such amendments/revisions.
30. The industry shall dispose off its solid waste generated by the burning of fuel in an Environmentally Sound Manner within the premises/outside as approved by the Board, to avoid public nuisance and air pollution problem in the area.
31. The industry shall ensure that no air pollution problem or public nuisance is created in the area due to the discharge of emissions from the industry.
32. The industry shall provide adequate arrangement for fighting the accidental leakage/discharge of any air pollutant/gas/ liquids from the vessels, mechanical equipment's etc, which are likely to cause environmental pollution.
33. The industry shall not change or alter the manufacturing process(es) and fuel so as to change the quality/quantity of emissions generated without the prior permission of the Board.
34. The industry shall earmark a land within their premises for disposal of boiler ash in an environmentally sound manner, and / or the industry shall make necessary arrangements for proper disposal of fuel ash in a scientific manner and shall maintain proper record for the same, if applicable.
35. The industry shall obtain and submit Insurance cover under the Public Liability Insurance Act, 1991.
36. The industry shall provide proper and adequate air pollution control arrangements for control emission from its fuel handling area, if applicable.

"This is computer generated document from OCMMS by PPCB"

37. The industry shall comply with the code of practice as notified by the Government/Board for the type of industries where the siting guidelines / Code of Practice have been notified.
38. The industry shall not cause any nuisance/traffic hazard in vicinity of the area
39. The industry shall ensure that the noise & air emission from D.G. sets do not exceed the standards prescribed for D.G. sets by the Ministry of Environment & Forests, New Delhi.
40. The industry shall ensure that there will not be significant visible dust emissions beyond the property line
41. The industry shall provide adequate and appropriate air pollution control devices to contain emissions from handling, transportation and processing of raw material & product of the industry.
42. The Industry shall ensure that its production capacity does not exceed the capacity mentioned in the consent and shall not carry out any expansion without the prior permission / NOC of the Board.




08/09/2020

(Shiv Kumar)
Environmental Engineer

For & on behalf
of

(Punjab Pollution Control Board)



"This is computer generated document from OCMMMS by PPCB"

Amritsar College Of Engineering & Technology, 12km Stone, Amritsar-jalandhar G.I. Road, Near Manawala,,Amritsar li,Amritsar,143001

Page6



PUNJAB POLLUTION CONTROL BOARD
Zonal Office, Plot No. 164, Focal Point, Mehta Road, Amritsar.
Website:- www.ppcb.gov.in

Office Dispatch No : 1736 Registered/Speed Post Date: 02/07/2021
Industry Registration ID : O13ASR208439 Application No : 15643894

To,
Amit Sharma
194, Basant Avenue,
Amritsar, Punjab-143001

Subject: Renewal of Authorization for operating a facility for 'Collection, Generation, Storage, Disposal, ' of Hazardous Wastes as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 .

Amit Sharma of Amritsar college of engineering & technology is hereby granted an authorisation based on the enclosed signed inspection report for Collection, Generation, Storage, Disposal, on the premises situated at 12km stone, amritsar-jalandhar g.t. road, near manawala, Amritsar ii, Amritsar-143001

1. Particulars of Authorization granted to the Industry

Authorization No	HWM/renew/ASR/2021/15643894
Previous Authorization No	HWM/ASR/2015/633448
Date of issue :	01/07/2021
Date of expiry :	30/09/2024
Previous Authorization Date of Issue :	20/03/2015
Previous Authorization Date of Expiry :	19/03/2020
Authorization Type :	renew

2. Particulars of the Industry

Name & Designation of the Applicant	Amit Sharma, (Chairman)
Address of Industrial premises	Amritsar college of engineering & technology, 12km stone, amritsar-jalandhar g.t. road, near manawala, Amritsar ii, Amritsar-143001
Capital Investment of the Industry	4011.351 lakhs
Category of Industry	Orange
Type of Industry	2091-Area/Infrastructure Development Project including educational institutions, community hall, IT Park, Theme park (Not covered under EIA notification 2006)
Scale of the Industry	Small
Office District	Amritsar

3. Particulars of Wastes

Category of Hazardous Waste as per the Schedules I,II and III of these rules	Authorised mode of disposal or recycling or utilisation or co-processing, etc	Quantity (ton/annuni)
Schedule I 5.1-Used or spent oil	Generation , Collection , Storage , Disposal	0.030 KL/Annum

4. The authorisation is subject to the general and specific conditions as appended with the Authorization.

Kamaljit Singh

01/07/2021

(Kamaljit Singh)
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

Endst. No.:

Dated:

A copy of the above is forwarded to the following for information and necessary action please:

The EE, RO, Amritsar for info. and n/a please. EE RO shall report before 20-9-2021 whether Institute has got MoU extended and if not then RO shall recommend for issuance or SCN for revoking of Authorization.

Kamaljit Singh

01/07/2021

(Kamaljit Singh)
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

TERMS AND CONDITIONS

A. GENERAL CONDITIONS

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorisation.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time;
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on ^{1/2}Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty ^{1/2}.
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility.
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation.
11. The importer or exporter shall bear the cost of import or export and mitigation of damages if any.
12. An application for the renewal of an authorisation shall be made as laid down under these Rules.
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
14. Annual return shall be filed by June 30th for the period ensuing 31st March of the year.

B. SPECIFIC CONDITIONS

1. The institute shall extend the agreement of category 5.1 well before its expiry.
2. EE RO shall report before 20-9-2021 whether Institute has got MoU extended and if not then RO shall recommend for issuance or SCN for revoking of Authorisation.

Kamaljit Singh

01/07/2021

(Kamaljit Singh)
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

"This is computer generated document from OCMMS by PPCB"

Amritsar college of engineering & technology, 12km stone, amritsar-jalandhar g.t. road, near manawala, Amritsar ii, Amritsar, 143001
Page 3